

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S8	334	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 10:55
S10	6	("6412012" "6785671" "7082426" "20020062258" "20050149390" "20060184430").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 10:59
S12	0	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 and 10/789839	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:00
S13	0	10/789839	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:00
S14	0	"10789839"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:01
S15	7	brian near3 acton.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:01
S16	0	brian near3 stolte.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:02
S17	0	rob near3 solomon.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:02
S18	3	jeff near3 weiner.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:02
S19	0	catherine near3 cadogan.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:03

## EAST Search History

S20	0	matt near3 heist.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:03
S21	1	manish near3 baldua.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:03
S22	0	charles near3 arendt.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:03
S24	6	S23 and S1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05
S25	5	S23 and S2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05
S26	4	S23 and S3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05
S27	4	S23 and S4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05
S28	4	S23 and S5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05
S29	4	S23 and S6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05
S30	4	S23 and S7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05
S31	2	S23 and S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:05

## EAST Search History

S7	343	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:07
S32	9	(quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:07
S33	0	S23 and S32	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:07
S6	661	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:08
S34	11	(quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:11
S35	9	S32 and S34	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:11
S36	0	S23 and S34	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:11
S5	793	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:12
S37	38	(quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:12
S3	3064	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:13

## EAST Search History

S4	1322	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:13
S39	0	S23 and S37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:13
S40	252	(quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:13
S41	0	S23 and S40	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:13
S1	34110	quer\$4 with process\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14
S2	5789	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14
S42	318	(quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm)).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14
S43	0	S23 and S42	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14
S44	436	(quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14
S45	0	S23 and S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14
S46	6349	(quer\$4 with process\$4).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14
S47	1	S23 and S46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:14

## EAST Search History

S23	10	(S15 S16 S17 S18 S19 S20 S21 S22)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:19
S48	0	"10788537"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:19
S49	0	10/788537	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:19
S50	0	10/789837	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:19
S51	0	"10789837"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 11:19
S9	334	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:05
S11	1	S9 and S10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:06
S53	0	S9 and S10 and (readable medium)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:06
S52	178	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:07
S54	866920	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium anf (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:08

## EAST Search History

S55	152	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:09
S58	0	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4) and optimiz\$4 with quer\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:44
S57	1	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4) and optimiz\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:46
S59	1	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4) and optimiz\$4 same quer\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 12:47

## EAST Search History

S61	1	"709"/\$.ccls. and quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 13:12
S62	0	"705"/\$.ccls. and quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 13:12
S60	3	"707"/\$.ccls. and quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 14:32
L1	0	"707"/\$.ccls. and quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4) and cookie	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 14:36

## EAST Search History

S56	4	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 14:36
L2	3	quer\$4 with (process\$4 and (scor\$4 rank\$4 rat\$4)) and (scor\$4 rank\$4 rat\$4) with (method mechanism algorithm) with quer\$4 and parameter and relevan\$4 and (scor\$4 rank\$4 rat\$4) with relevan\$4 not yahoo!.as. and readable with medium and (determin\$4 establish\$4 creat\$4 generat\$4) with (scor\$4 rat\$4 rank\$4) and (determin\$4 establish\$4 identif\$4) with mechanism with (scor\$4 rat\$4 rank\$4) and (retention percentage history cookie)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/28 14:38